



# Lesonal Product Assortment

## San Joaquin Valley Unified APCD Rule 4612 - January 1, 2010

Products	Mix Ratio	Hardener	Activator / Reducer	Applied VOC Less Water / Less Exempt
<b>Pretreatment Coating</b>		<b>System Limit: 5.5 lbs/gal</b>		<b>Applied VOC Less Water / Less Exempt</b>
Autoprep Chrome Free (CF) Etching Pen	<b>Ready to use</b>	N/A	N/A	0.0 lbs/gal
Self-Etching Primer CF	<b>1:1:1</b>	Self Etching Hardener CF LV	LV Clear Reducer	5.5 lbs/gal
<b>Primer</b>		<b>System Limit: 2.1 lbs/gal</b>		<b>Applied VOC Less Water / Less Exempt</b>
LV HS Surfacers / Sealer	<b>4:1:1</b>	LV HS Surfacers/Sealer Hardener	LV HS Surfacers Activator	2.1 lbs/gal
Gray Urethane Surfacers LV	<b>3:1:10%</b>	Urethane Surfacers Hardener LV	Lesonal Reducer LV	2.1 lbs/gal
<b>Primer Sealer</b>		<b>System Limit: 2.1 lbs/gal</b>		<b>Applied VOC Less Water / Less Exempt</b>
LV HS Surfacers / Sealer	<b>100:25:35</b>	LV HS Surfacers/Sealer Hardener	LV HS Sealer Activator 2.1	2.1 lbs/gal
<b>Color Coating</b>		<b>System Limit: 3.5 lbs/gal</b>		<b>Applied VOC Less Water / Less Exempt</b>
Lesonal WB	<b>100:0-40</b>	N/A	Lesonal Activator WB	3.4 lbs/gal
<b>Clear Coating</b>		<b>System Limit: 2.1 lbs/gal</b>		<b>Applied VOC Less Water / Less Exempt</b>
LV Clear	<b>2:1:20%</b>	LV Clear Hardener Standard LV Clear Hardener Fast	LV Clear Reducer LV Clear Reducer Fast	2.1 lbs/gal 1.8 lbs/gal
<b>Surfacers Cleaners</b>		<b>System Limit: 0.21 lbs/gal</b>		<b>Applied VOC</b>
Autoclean Surface Cleaner	N/A	N/A	N/A	0.1 lbs/gal





# Lesonal Product Assortment

Product VOC as supplied  
California requirements

VOC per volume of  
coating less water,  
less exempt (lbs/gal)

VOC per volume of material  
(lbs/gal)

## Pretreatment/ Washprimers

<i>Washprimers</i>			
	Autoprep Chrome Free (CF) Etching Pen	0	0
	Self-Etching Primer CF	5.2	5.2
<i>Hardeners</i>			
	Self-Etching Hardener CF LV	6.4	1.6

## Primer Sealer/ Surfacer

<i>Primers</i>			
	LV HS Surfacer/ Sealer	2.2	1.3
	Gray Urethane Surfacer LV	1.5	3.8
<i>Hardeners</i>			
	LV HS Surfacer/ Sealer Hardener	0	0
	Urethane Surfacer Hardener LV	4.2	5.8
<i>Reducers/ Activators</i>			
	LV HS Surfacer Activator	0	0
	LV HS Sealer Activator 2.1	4.3	9.1
	Lesonal Reducer LV	1.3	6.5

## Topcoat

<i>Basecoat</i>			
	Lesonal WB	3.4	1.2
<i>Clearcoats</i>			
	LV Clear	2.6	1.7
<i>Hardeners</i>			
	LV Clear Hardener Standard	0.9	0.6
	LV Clear Hardener Fast	0	0
<i>Reducers/ Activators</i>			
	LV Clear Reducer	0	0
	LV Clear Reducer Fast	0	0
	Lesonal Activator WB	7.4	0.1

## Surfacer Cleaners

<i>Cleaners</i>			
	Autoclean Surface Cleaner	0.1	0.1

